



LINEA: 1P NO 10A button mechanism

30008

Wiring devices / Traditional wiring devices / LINEA / Devices

1P NO 10A button mechanism

1P NO 10 A 250 V~ lightable push button mechanism, to be completed with 1-module button

Product Status

3 - Active

Minimum order quantity

50 NR



You may also be interested in




31000S.B - White lower 1M path light button



31000S.G - Black lower 1M path light button



31000S.C - Lower 1M path light button Canvas




31000A.B - Axial button 1M white



31000A.G - Axial button 1M black



31000A.C - Axial button 1M canvas



31000.B - Button 1M aligned white



31000.G - Button 1M aligned 1M black



31000.C - Button 1M aligned Canvas



00943.W - Linea 110-250V white LED unit



00945.G - Linea Quid LED unit green

Drawings

Technical data

- **Class group:** Domestic switching devices
- **Class:** Push button
- **Assembly arrangement:** Modular device for domestic switching devices
- **Model:** Other
- **Method of operation:** Push button
- **Number of contacts as normally closed contact:** 0
- **Number of contacts as normally open contact:** 1
- **Number of contacts as change-over contact:** 0
- **Number of revolving contacts:** 0
- **Contactless type:** No
- **Number of rockers:** 1
- **Number of modules (module system):** 100
- **Number of poles:** 1
- **Nominal voltage:** 250 V
- **Rated current:** 10,00 A
- **With lighting:** No
- **With light source:** No
- **With signal lamp:** No
- **Feedback-signal contact:** No
- **Connection type:** Screwed terminal
- **Mounting method:** Flush-mounted
- **Type of fastening:** Engage (snap)
- **Material:** Plastic
- **Material quality:** Thermoplastic
- **Halogen free:** Yes
- **Anti-bacterial treatment:** No
- **Surface protection:** Untreated
- **Surface finishing:** Matt
- **Colour:** Black
- **RAL-number (similar):** 7024
- **Transparent:** No
- **Label space/information surface:** No
- **Imprint:** None
- **Suitable for degree of protection (IP):** IP40
- **Device width:** 22,30 mm
- **Device height:** 52,80 mm
- **Device depth:** 28,90 mm
- **Compatible with Apple HomeKit:** No
- **Compatible with Google Assistant:** No
- **Compatible with Amazon Alexa:** No
- **IFTTT support available:** No

Certifications

- 00. CE Marking - EU
- 01. IMQ - Italy ([download](#))
- 13. SNI - Indonesia
- 37. Marking - Morocco
- 96. Electrotechnical expert ([download](#))
- 99. WEEE Directive ([download](#))

Packaging



Code 8007352683082
Quantity 1 NR
Dim. 4.6x2.7x5.6 [cm]
Weight 27.06 [g]



Code 8007352683099
Quantity 50 NR
Dim. 23.7x14.8x12.8 [cm]
Weight 1,493 [g]



Code 8007352683105
Quantity 300 NR
Dim. 45.5x27x27 [cm]
Weight 9,400 [g]

Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported. Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed. For the terms of use of the information on the product info sheet see [Conditions of Use](#).