



## LINEA: Axial 1P NO 10A button white

---

### 30008A.B

Wiring devices / Traditional wiring devices / LINEA / Devices

#### Axial 1P NO 10A button white

1P NO 10 A 250 V~ lightable axial push button, replaceable button, white

#### Product Status

3 - Active

#### Minimum order quantity

50 NR




### You may also be interested in



30000A.B - Axial 1P 10AX 1-way switch white



30004A.B - Axial 1P 10AX 2-way switch white



30012A.B - Axial 1P 10AX reversing switch white



00943.W - Linea 110-250V white LED unit

### Drawings

## Technical data

- **Class group:** Domestic switching devices
- **Class:** Push button
- **Assembly arrangement:** Modular device for domestic switching devices
- **Model:** Other
- **Method of operation:** Push button
- **Operating principle:** Electromechanical
- **Number of contacts as normally closed contact:** 0
- **Number of contacts as normally open contact:** 1
- **Number of contacts as change-over contact:** 0
- **Number of revolving contacts:** 0
- **Contactless type:** No
- **Number of rockers:** 1
- **Number of modules (module system):** 100
- **Number of poles:** 1
- **Nominal voltage:** 250 V
- **Rated current:** 10,00 A
- **With lighting:** No
- **With light source:** No
- **With signal lamp:** No
- **Feedback-signal contact:** No
- **Connection type:** Screwed terminal
- **Mounting method:** Flush-mounted
- **Type of fastening:** Engage (snap)
- **Material:** Plastic
- **Material quality:** Thermoplastic
- **Halogen free:** Yes
- **Anti-bacterial treatment:** No
- **Surface protection:** Untreated
- **Surface finishing:** Matt
- **Colour:** White
- **RAL-number (similar):** 9016
- **Transparent:** No
- **Label space/information surface:** No
- **Imprint:** None
- **Suitable for degree of protection (IP):** IP40
- **Impact strength:** Other
- **Device width:** 22,30 mm
- **Device height:** 52,80 mm
- **Device depth:** 37,50 mm
- **Compatible with Apple HomeKit:** No
- **Compatible with Google Assistant:** No
- **Compatible with Amazon Alexa:** No
- **IFTTT support available:** No

## Certifications

- 00. CE Marking - EU
- 01. IMQ - Italy ([download](#))
- 13. SNI - Indonesia
- 37. Marking - Morocco
- 50. Product Environm. Profile
- 96. Electrotechnical expert ([download](#))
- 99. WEEE Directive ([download](#))

## Packaging



**Code** 8007352682955  
**Quantity** 1 NR  
**Dim.** 4.6x2.7x5.6 [cm]  
**Weight** 29.7 [g]



**Code** 8007352682962  
**Quantity** 50 NR  
**Dim.** 23.7x14.8x12.8 [cm]  
**Weight** 1,626 [g]



**Code** 8007352682979  
**Quantity** 300 NR  
**Dim.** 45.5x27x27 [cm]  
**Weight** 11,110 [g]



**Code** 8007352749917  
**Quantity** 5,400 NR  
**Dim.** 120x80x105 [cm]  
**Weight** 199,978.2 [g]

## Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported. Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed. For the terms of use of the information on the product info sheet see [Conditions of Use](#).