



LINEA: IoT roller shutter control mechanism

30804

Wiring devices / View Wireless wiring devices / LINEA / Devices

IoT roller shutter control mechanism

VIEW Wireless electronic control mechanism for 1 roller shutter with slat orientation and change-over relay output for $\cos\phi$ 0.6 motor 2 A 100-240 V~, local or remote control, double IoT technology on Bluetooth 5.0 standard for the creation of VIEW Wireless mesh system and on Zigbee 3.0 standard, 1 input for external push button to recall a scenario, favourite position recall function, RGB LED visible in darkness with brightness control, 100-240 V 50/60 Hz power supply, to be completed with Linea 1-module interchangeable buttons

- Compatible with SmartThings hub



Product Status

3 - Active


Minimum order quantity

1 NR


You may also be interested in



31000A.FG - Axial button 1M
arrow symbol black



31000A.FB - Axial button 1M
arrow symbol white




31000A.FC - Axial button 1M
arrow symbol canvas



30807.G - IoT connected
Gateway 2M black



30807.B - IoT connected
Gateway 2M white



30807.C - IoT connected
Gateway 2M canvas

Sheets, Manuals, Documentation

- [Light multilanguage instructions sheet \(940 kb\)](#)
- [Foglio istruzioni Full \(508 kb\)](#)
- [Feuille d'instructions Full \(509 kb\)](#)
- [Hoja de instrucciones Full \(507 kb\)](#)
- [Full instructions sheet \(504 kb\)](#)
- [Φυλλάδιο οδηγιών Full \(653 kb\)](#)
- [Anweisungsblatt Full \(776 kb\)](#)
- [Full \(575 kb\)](#)
- [Manuel appli View Wireless \(37703 kb\)](#)
- [Manual app View Wireless \(37528 kb\)](#)
- [Manual View Wireless app \(37579 kb\)](#)
- [Εγχειρίδιο τεχνικού εγκατάστασης \(37781 kb\)](#)
- [Installationsanleitung View Wireless \(37508 kb\)](#)
- [Manuale app View Wireless \(15836 kb\)](#)

Drawings


Technical data

- **Class group:** Domestic switching devices
- **Class:** Push button
- **Assembly arrangement:** Modular device for domestic switching devices
- **Model:** Other
- **Method of operation:** Push button
- **Number of contacts as normally closed contact:** 0
- **Number of contacts as normally open contact:** 2
- **Number of contacts as change-over contact:** 0
- **Number of revolving contacts:** 0
- **Contactless type:** No
- **Number of rockers:** 1
- **Number of modules (module system):** 100
- **Number of poles:** 1
- **Nominal voltage:** 240 V
- **Rated current:** 2,00 A
- **With lighting:** Yes
- **With light source:** Yes
- **With signal lamp:** No
- **Feedback-signal contact:** No
- **Connection type:** Screwed terminal
- **Mounting method:** Flush-mounted
- **Type of fastening:** Engage (snap)
- **Material:** Plastic
- **Material quality:** Thermoplastic
- **Halogen free:** Yes
- **Anti-bacterial treatment:** No
- **Surface protection:** Untreated
- **Surface finishing:** Matt
- **Colour:** Black
- **RAL-number (similar):** 7024
- **Transparent:** No
- **Label space/information surface:** No
- **Imprint:** None
- **Suitable for degree of protection (IP):** IP40
- **Device width:** 22,30 mm
- **Device height:** 52,80 mm
- **Device depth:** 44,70 mm
- **Compatible with Apple HomeKit:** Yes
- **Compatible with Google Assistant:** Yes
- **Compatible with Amazon Alexa:** Yes
- **IFTTT support available:** No

Certifications


- 00. CE Marking - EU
- 00. CE Marking - EU
- 01. IMQ - Italy ([download](#))
- 37. Marking - Morocco
- 40. Bluetooth technology
- 42. Zigbee certified
- 46. UK PSTI compliance ([download](#))
- 99. WEEE Directive ([download](#))

Packaging



8 007352688971

Code 8007352688971
Quantity 1 NR
Dim. 5.1x3.5x5.5 [cm]
Weight 44 [g]



8 007352744868

Code 8007352744868
Quantity 60 NR
Dim. 27x23x12.5 [cm]
Weight 3,113.28 [g]

Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported. Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed. For the terms of use of the information on the product info sheet see [Conditions of Use](#).